




Palm Zire 71 Battery Replacement

Written By: Jinxian Jiang



INTRODUCTION

This guide is to show you how to replace the battery on Palm Zire 71.



TOOLS:

- [Phillips #00 Screwdriver](#) (1)
- [iFixit Opening Tools](#) (1)
- [T5 Torx Screwdriver](#) (1)



PARTS:

- [New battery](#) (1)
-

Step 1 — Back Cover



- Flip the phone over
- Slide the back cover upward to open

Step 2



- Use Torx T5 screwdriver to remove the top screws

Step 3



- Remove the back sticker
- Remove the bottom Philips #00 screws

Step 4



- Turn to the frontside
- ⚠ Slide the screen upward a little higher WITHOUT detaching the screen
- Use the plastic opening tool to pry off the front panel

Step 5




- Remove the bottom Philips #00 screws
- Remove the bracket
- Use the plastic opening tool to pry off the speaker

Step 6




- Slide the back cover off

Step 7 — Battery





- Remove the Philips #00 screw
- Remove the silver metal piece

Step 8



- Remove the Philips screws #00
- Remove the rear blue panel by prying both sides using the plastic opening tool

Step 9



- Remove the black plastic sticker
- Pull the tap up to remove the metal cap

Step 10



- Remove the cable by pinching the sides and pulling
- Pry off the battery with the plastic opening tool
- Insert the new battery

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-20 03:25:23 PM.